

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
13 April 2006 (13.04.2006)

PCT

(10) International Publication Number
WO 2006/038214 A3

(51) International Patent Classification:

H04M 1/24 (2006.01) *H04M 3/22* (2006.01)
H04M 3/08 (2006.01)

(21) International Application Number:

PCT/IL2005/001064

(22) International Filing Date: 6 October 2005 (06.10.2005)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/615,584 5 October 2004 (05.10.2004) US

(71) Applicant (*for all designated States except US*): RIT
TECHNOLOGIES LTD. [IL/IL]; 24 Raoul Wallenberg
Street, 69719 Tel Aviv (IL).

(72) Inventor; and

(75) Inventor/Applicant (*for US only*): SHERMAN, Menny
[IL/IL]; Hagaon Eliyahoo 25, 52364 Ramat Gan (IL).

(74) Agents: PEARL COHEN ZEDEK LATZER et al.;
Shenkar 5, 46733 Herzilia (IL).

(81) Designated States (*unless otherwise indicated, for every
kind of national protection available*): AE, AG, AL, AM,

AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY,
MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO,
NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK,
SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,
VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*unless otherwise indicated, for every
kind of regional protection available*): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT,
RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA,
GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

(88) Date of publication of the international search report:

28 September 2006

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

(54) Title: METHOD AND SYSTEM FOR DISTANCE MEASUREMENTS

(57) Abstract: A method and a system for impairment line testing are provided. The method includes electrically connecting a first terminal of a measurement device, which may be a time domain reflectometer, to both wires of a twisted wire pair of a telephone line, which interconnects a telephone line card with a subscriber. The second terminal of the measurement device is electrically connected to a common reference, which may be the ground reference. Then, the method includes performing an impairment testing on the telephone line from the measurement device toward the subscriber.



WO 2006/038214 A3

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IL05/01064

Continuation of B. FIELDS SEARCHED Item 3:

WEST

search terms: determin\$3, identif\$3, spare, unused, telephone line, phone line, short\$3, status, time domain, distance, location, state, status, condition, in use, in conversation, line status, in progress\$3, line selector, selector unit, status selector, remote, test\$3, off-hook, domain reflectometer, TDR, street cabinet, cabinet, comput\$3, calculat\$3, determin\$3, main distribution, distribution frame, MDF, linecard, line-card, commom mode, ground mode, short-circuit\$3, ground reference, commom reference, switch, measur\$3 device, measur\$3 terminal, test\$3 device, test\$3 terminal, tester

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
13 April 2006 (13.04.2006)

PCT

(10) International Publication Number
WO 2006/038214 A2

(51) International Patent Classification:
F16K 35/00 (2006.01)

(21) International Application Number:
PCT/IL2005/001064

(22) International Filing Date: 6 October 2005 (06.10.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/615,584 5 October 2004 (05.10.2004) US

(71) Applicant (*for all designated States except US*): RIT
TECHNOLOGIES LTD. [IL/IL]; 24 Raoul Wallenberg
Street, 69719 Tel Aviv (IL).

(72) Inventor; and

(75) Inventor/Applicant (*for US only*): SHERMAN, Menny
[IL/IL]; Hagaon Eliyahu 25, 52364 Ramat Gan (IL).

(74) Agents: PEARL COHEN ZEDEK LATZER et al.;
Shenkar 5, 46733 Herzilia (IL).

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD AND SYSTEM FOR DISTANCE MEASUREMENTS

(57) Abstract: A method and a system for impairment line testing are provided. The method includes electrically connecting a first terminal of a measurement device, which may be a time domain reflectometer, to both wires of a twisted wire pair of a telephone line, which interconnects a telephone line card with a subscriber. The second terminal of the measurement device is electrically connected to a common reference, which may be the ground reference. Then, the method includes performing an impairment testing on the telephone line from the measurement device toward the subscriber.

WO 2006/038214 A2